

EED 型磁芯
EED CORES




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37




Fig.38




Fig.39

規格 (Type)	尺寸(Unit: mm)														圖形	磁芯參數				單重 (g/prs)	Al-value (nH/N ²)							
	A	B	C	C1	D	D1	D2	E	E1	E2	E3	F	G	G1		C1 (mm ⁻¹)	Le (mm)	Ae (mm ²)	Ve (mm ³)		GP4	GP44	GP47	GP90	GP95	GP95B	GP96	GP98
EED1316	13.5±0.4	8.35±0.15	16.8±0.5		4.1±0.2	12.3±0.4		10.9±0.4				5.85±0.15			Fig.27	0.68	40	59	2360.4	12.9					3500			
EED1419	14.1±0.35	9.9±0.15	20.8±0.45	13.1±0.3	11.5±0.35	9.2±0.35		4.9±0.25				7.25±0.2			Fig.22	0.637	46.65	73.2	3415	19					4000			
EED1521	15.7±0.3	11.0±0.15	20.8±0.3		13.2±0.3				4.9±0.15	13.1±0.2		8.35±0.15	10.8±0.3		Fig.17	0.72	49	68.3	3347.2	20.8					3700			
EED1609U	16.3±0.3	4.65±0.15	17.6±0.3		14.2±0.3	12.0±0.3		8.9±0.2	6.45±0.2			2.45±0.15			Fig.6				10.1									
EED1709S	17.0±0.3	4.85±0.1	17.6±0.25		14.65min	12.1±0.25			8.95+0/-0.25	6.45+0/-0.2		2.55±0.15			Fig.10	0.464	29.24	63	1842.1	10.4					4000			
EED1709W	17.4±0.4	4.15±0.15	15.5±0.35		14.7±0.3	12.2±0.3		7.9±0.15	7.3±0.15			2.15±0.15			Fig.6	0.46	25.19	54.7	1378	9.4	3600	3600	3700	3500	4000	4000	4000	
EED1709CNR	17.4±0.4	4.15±0.15	16.5±0.3		14.7±0.3	12.2±0.3		7.9±0.15	8.3±0.15			2.05±0.2			Fig.6	0.41	25.19	60.41	1521.7	9.4	3900	4000	4100	3800	3800	3800	3800	
EED1712	16.5±0.4	5.75±0.15	9.9+0.2/-0.3		4.5+0.1/-0.2	8.9+0.2/-0.3		12.3±0.4				3.75+0.2/-0.15			Fig.9	0.896	35.5	39.6	1405.8	7.2					3100			
EED1809A	18.6±0.4	4.48±0.15	17.5±0.4		14.9±0.4		9.65±0.4		9.7+0.15/-0.2	7.4+0.15/-0.2		2.48±0.15			Fig.15	0.33	22.99	69	1586.31	11.7					5000			
EED2009	15.4±0.2	4.13+0.15/-0	20.0±0.2		12.9+0.25/-0.15	10.2+0.2/-0.1		5.95+0.1/-0.2	11.75+0.1/-0.2			2.03+0.25/-0			Fig.1	0.41	27.61	67	1850	10	4100	4200	4300	4000	4800	4800	4800	
EED2010C	20.1±0.3	5.05±0.1	17.8±0.3		16.4min	13.9min			10.3+0.1/-0.15	7.5+0.1/-0.15	9.0ref	2.80±0.15	2.25+0.10/-0.15	0.50+0.20/-0	Fig.8	0.4	28.6	70.7	2026.8	13.8					6500			
EED2112	21.1±0.3	5.55±0.1	18.5±0.3		16.9min	12.7min			10.9+0.1/-0.15	8.5+0.1/-0.15		3.3±0.15			Fig.10	0.33	28.26	86.7	2450	16.6					5600			

EED2406	23.8±0.4	2.95+0.1/-0.2	18.9±0.3			3.7+0.2/-0.25	17.8±0.3	20.2±0.4			1.2+0.2/-0.1			Fig.31	0.43	27.9	64.8	1807.92	12					4000			
EED2420	24.0±0.5	10.0±0.3	9.5±0.25		6.5±0.25			17.5±0.5						Fig.3	0.908	49.55	54.52	2701.9	15.6	3500							
EED2513	25.3±0.35	6.45±0.15	19.0±0.3			10.1±0.25	11.0±0.25		19.8±0.35	17.4±0.35	3.6±0.2			Fig.30	0.34	35.7	104	3712.8	23.2				5200				
EED2513-1	25.0±0.3	6.8±0.1	24.0±0.3		20.3min	17.36min	18.16min		12.6+0.1/-0.15	10.4+0.1/-0.15	3.4±0.15	0.7+0.2/-0		Fig.11	0.199	29.4	147.4	4333.56	30.6						9000		
EED2517	25.6+0.6/-0.35	9.0±0.15	22.0±0.35		9.3+0.15/-0.3	14.55+0.2/-0.3		20.1+0.6/-0.35						Fig.23	0.34	44.55	130	5791.5	34.4					5700			
EED2614	25.5±0.3	7.15±0.1	18.0±0.3		19.6min	17.1min			10.3+0.1/-0.15	11.3+0.1/-0.15	3.25±0.15			Fig.13	0.25	32.88	131.7	4330.3	27.4					5300			
EED2819-1	28.6±0.6	9.7±0.25	30.0±0.4		9.1±0.3	22.3±0.3		22.3+0.5/-0.4			6.7±0.25			Fig.14	0.26	47.4	180	8532	52.54					8500			
EED2819-2	28.0±0.4	9.5±0.15	11.9+0.1/-0.2		8.5+0.1/-0.2			21.1+0.5/-0.3			6.0±0.15			Fig.39	0.55	48.1	86.82	4177.3	24					2800			
EED2820	28.0±0.6	10.4±0.3	12.1±0.5		8.5±0.2			20.5min			6.7±0.3			Fig.4	0.58	50.5	86.1	4350	25.9	3800							
EED2919	29.3±0.5	9.2±0.2	11.7±0.2		8.4±0.2			21.5min			6.1±0.2			Fig.4	0.56	50.33	90.7	4354	23.8	3800	3900	4100	3700	4500	4500	4500	
ED2930	29.8±0.8	14.8±0.2	11.6±0.3		8.5±0.2			21.8min			11.2±0.2			Fig.3	0.77	69.2	90	6228	34.6	2750							
EED30.2-18.1	30.2±0.5	9.05±0.2	12.5+0.1/-0.2		11.0±0.25			22.7±0.5			5.3±0.2			Fig.18	0.5	46.9	93.8	4397	21.3					5800			
EED3212	32.6+0.5/-0.4	5.8±0.15	14.0+0.2/-0.3			7.2+0.2/-0.25	10.0+0.2/-0.3	27.75+0.5/-0.4			3.35±0.15			Fig.23	0.624	43.77	70.1	3068	17.7					3500			
EED3317	33.8±0.5	8.35±0.15	16.5±0.2		8.4±0.15			28.8±0.5			5.85±0.15			Fig.2	0.707	55.6	76.7	4038	25.2	3100	3200	3300	3000	3900	3900	3900	
EED3319	33.3±0.6	9.45±0.15	11.6±0.25		8.4±0.25		31.8±0.5	25.4min			6.25±0.25			Fig.20	0.66	53.48	80.93	4328.1	25					4000			
EED3422-12	34.0±0.5	6.45+0.1/-0.15	22.0±0.3		27.8±0.5			31.8±0.5	8.0±0.2	18.5+0.2/-0.25	3.35±0.15			Fig.16	0.304	43.3	142.6	6175	36				5200				
EED3424-12	34.0±0.5	6.45±0.15	24.5±0.4		27.8+0.4/-0.2		33.0±0.5	8.0±0.2	21.0+0.2/-0.25		3.45±0.15			Fig.16	0.27	43.4	161	6987.4	39.6				6000				
EED3611	36.8±0.5	5.55±0.15	18.5±0.2		9.6±0.15			31.8±0.5			3.45±0.15			Fig.2	0.48	41.95	87.58	3674.35	23.85					4500			
EED3614	36.8±0.5	7.3±0.15	14.0±0.35		6.0±0.2			30.5±0.5			4.4min			Fig.3	0.66	50.4	76.4	3849.5	23.4	3300	3300	3200	3200	4100	4100	4100	
EED3617	36.8±0.5	8.35±0.15	18.5±0.20		9.6±0.15			31.8±0.5			5.85±0.15			Fig.2	0.62	57.2	92.4	5285.2	30	3600	3700	3800	3500	4550	4550	4550	
EED3712	37.4+0.5/-0.3	6.4±0.15	28.0+0.2/-0.4		30.8+0.5/-0.3		41.3±0.7	9.0±0.2	22.0+0.2/-0.25		3.2±0.15			Fig.16	0.235	44.97	191.3	8600.8	49.6				7200				
EED3812	38.0±0.5	6.4±0.15	18.5±0.3		9.6±0.25			33.0±0.5			4.4±0.15			Fig.2	0.54	45.88	84.9	3988.7	26					4200			
EED3812V	38.7±0.6	6.0±0.15	16.0±0.3		5.5±0.2			33.0±0.6			3.6±0.15			Fig.25	0.64	50.8	78.8	4003	23.1			3700					
EED3821-12	38.5+0.6/-0.35	6.4±0.15	21.5±0.3		33.2+0.6/-0.35			6.5±0.2	17.0±0.35		4.2±0.15			Fig.16	0.525	52.5	100	5250	31				3600				
EED3814-2	38.0±0.5	7.2±0.2	14.0±0.2		6.0±0.2			32.3±0.5			3.4±0.2			Fig.3	0.75	56.1	74.4	4180	23	3000	3100	3000	2900	3700	3700	3700	
EED3820	38.0±0.6	9.65±0.15	14.0±0.3		7.0±0.25			31.5±0.6			6.9±0.15			Fig.3	0.787	61.5	78.1	4803.15	28	2900	3000	2900	2900	3700	3700	3700	
EED38.5	38.5+0.5/-0.4	8.95±0.2	22.0±0.35		9.0±0.25			30.3+0.5/-0.4			4.75±0.15			Fig.4	0.283	53.48	189.22	10119.5	57					6200			
EED3824-12	38.5+0.6/-0.35	6.4±0.15	24.5±0.3		33.2+0.6/-0.35			6.5±0.2	20.0±0.35		4.2±0.15			Fig.16	0.424	50.32	118.8	5980.46	36.2					3800			
EED3912	39.3±0.5	5.75±0.15	25.5±0.3		6.0±0.2	22.9±0.3		34.7±0.5			3.6+0.2/-0.15			Fig.32	0.43	49.99	116.2	5808.2	35.2					3900			
EED3920	39.0±0.6	9.65±0.15	20.0±0.3		32.5±0.6			7.0±0.25			6.9±0.15			Fig.29	0.55	64.73	116	7508.6	40	4100	4200	4300	4000	5200	5200	5200	
EED4004	40.2±0.5	4.55±0.1	23.85±0.35		35.2±0.5			8.5±0.2	13.9±0.3		2.35+0.3/-0.15			Fig.12	0.54	50.82	94	4777	31					5300			
EED4008	40.0±0.5	4.05±0.15	24.0±0.35		34.7±0.5			8.5±0.25	14.0±0.3		2.05±0.2			Fig.12	0.44	44.7	101.2	4525	31					5400			
EED4008-9	40.1±0.5	4.1±0.15	43.9±0.4		35.3±0.5			8.5±0.2	27.9±0.3		1.85±0.15			Fig.16	0.28	51.1	184.6	9433.4	56.8				8500				
EED4010	40.3±0.6	4.75±0.15	23.9±0.3		35.3±0.6			8.5+0.2/-0.25	13.9±0.3		2.75+0.2/-0.15			Fig.12	0.45	45.37	100.7	4568.5	15.6					4500			
EED4010L	40.8±0.6	5.4±0.15	28.5±0.3		6.2±0.2	25.5±0.3		34.7±0.6			3.4±0.2			Fig.8	0.365	47.66	130.4	6215.5	40					7000			
EED4012	40.6±0.6	6.0±0.2	17.0±0.3		5.8±0.25			35.74±0.6			3.6±0.2			Fig.26	0.65	53	81	4293	25.2			3200					
EED4015-10	40.1±0.5	7.55±0.15	23.0±0.3		11.5±0.2			35.1±0.5			5.05±0.15			Fig.2	0.413	49.86	120.7	6018.1	39.6					5000			
EED4016	40.8±0.5	8.15±0.2	21.85+0.15/-0.25		11.0±0.3			30.8±0.5			4.35±0.15			Fig.4	0.28	54.2	192.4	10428.1	57	7500	7700	7900	7300	9600	9600	9600	
EED4018	40.8±0.5	9.7±0.2	21.85±0.25		11.0±0.3			30.3min			6.25±0.25			Fig.4	0.3	61.3	203	12443.9	60.8	6300	7500	7700	7000	9300	9300	9300	
EED4018-1	40.5±0.5	9.2±0.15	25.0±0.35		7.2±0.25			35.5±0.5			6.2±0.15			Fig.38	0.44	62.85	143.3	9005.8	53				4800				
EED4025	40.8±0.5	12.3±0.2	21.85±0.25		11.0±0.3			30.8±0.5			8.9+0.3/-0.15			Fig.4	0.32	65.4	198.2	12980.68	71.4	7600	7000	7200	6500	####	####	10000	
EED4033	40.8±0.6	16.45±0.15	26.85±0.4		11.0±0.3			30.8±0.5			11.45±0.2			Fig.4	0.302	81.7	270	22060.31	120.4	7700	8000	8300	7500	9000	9000	9000	
EED4116	41.0±0.5	8.3±0.15	23.0±0.4		11.5±0.3			36.0±0.5			5.8±0.15			Fig.2	0.51	60.7	118	7174.3	42.2	4300	4500	4600	4300	5300	5300	5300	
EED4117	41.0±0.65	8.5±0.15	30.0±0.4		11.4±0.3	20.4±0.35		35.0±0.65	28.93±0.65		5.5±0.2			Fig.24	0.27	52	195.5	10166	67.3					9200			
EED4212	42.2±0.5	6.4±0.15	23.0±0.4		11.5±0.25			37.2±0.5			4.4±0.15			Fig.2	0.451	47.4	105	4977	36.2					4500			
EED4212-2	42.2+0.7/-0.5	5.75±0.15	35.0+0.25/-0.4		9.0±0.25	27.0+0.25/-0.4		35.5+0.7/-0.5			2.8+0.25/-0.15			Fig.9	0.214	47.9	224.2	10739.2	64.8					8600			
EED4214-2	42.7±0.5	7.2±0.15	15.0+0.2/-0.3		7.0±0.2			36.2±0.5			4.4±0.15			Fig.3	0.62	54	87	4697.5	28.2	3500	3600	3200	3400	4400	4400	4400	
EED4219	42.2±0.7	9.8±0.15	36.22±0.4		16.0±0.3	23.92±0.4		36.0±0.7	25.6±0.6		5.7±0.2			Fig.19	0.187	60.73	325	19737.25	109					####			
EED4220-4	42.1±0.5	10.0±0.15	21.9±0.3		10.9±0.2			33.1±0.5			6.25±0.15			Fig.4	0.31	58.8	189	11113.2	63.8					7200			
EED4312-1	43.6±0.65	6.0±0.2	18.0±0.3		6.5±0.25			38.5±0.65			3.5±0.2			Fig.26	0.62	55.68	90	5011.2	29.5			3500					
EED4314	43.6±0.5	7.2±0.1	16.0±0.3		7.4±0.2			37.0+0.6/-0.4			4.4±0.15			Fig.3	0.61	56.2	92	5170.7	30.6	3600	3700	3200	3500	4300	4300	4300	
EED4320	43.0±0.6	10.1±0.2	21.9±0.3		11.0±0.2			33.0±0.6			6.6±0.2			Fig.4	0.325	60.4	186.1	11240.4	67.4					7000			
EED4408	44.0±0.6	4.05±0.15	34.0±0.4		39.3±0.6			8.0±0.25	20.0±0.35		1.9±0.2			Fig.12	0.33	49.2	149	7331	48.6					7500			
EED4525-2	45.2+0.6/-0.5	12.5±0.15	30.3+0.3/-0.4		11.0+0.2/-0.25	28.5+0.2/-0.4		35.6+0.6/-0.5			7.7±0.15			Fig.37	0.26	72.98	279	20423	118					####			
EED4547C	45.5±0.7	23.55±0.2	19.6±0.4		17.3±0.25			33.9±0.4			17.65±0.25			Fig.5	0.47												

EED4907	48.5±0.7/-0.6	3.35±0.15	40.0±0.3/-0.4			6.5±0.25/-0.3	30.0±0.3/-0.4	42.5±0.7/-0.6				1.55±0.15		Fig.33	0.298	47.1	158	7441.8	62.52							8800	
EED4911	49.0±0.8	5.8±0.15	30.0±0.4	44.2±0.8				7.0±0.25	23.0±0.3			3.5±0.2		Fig.16	0.396	57.76	146	8432.96	52						5800		
EED4914	48.8±0.6	7.25±0.15	16.0±0.2	42.3±0.6				7.4±0.25				4.45±0.15		Fig.29	0.678	62.43	92.13	5751.74	32.4		3000						
EED5017	50.4±0.6	8.5±0.15	20.0±0.4			8.9±0.3	17.8±0.4	43.0±0.6				4.85±0.2/-0.15		Fig.32	0.46	66.78	145.1	9888.4	56.4						7000		
EED5021	50.3±0.65	10.6±0.15	25.9±0.35			11.15±0.25	23.9±0.35	39.3±0.65				5.5±0.2		Fig.32	0.265	66.8	252	16833.6	103.6						7800		
EED5026	50.8±0.8	13.0±0.15	26.85±0.4	14.0±0.35				40.8±0.8				8.0±0.2		Fig.4	0.255	74.1	290.8	21542.9	120						####		
EED5040-12	50.2±0.7/-0.6	5.75±0.15	40.0±0.3/-0.4	43.5±0.7/-0.6				9.0±0.25	32.0±0.25/-0.45			2.65±0.25/-0.15		Fig.12	0.21	55.05	262.5	14450.6	86.8					9500			
EED5114	50.0±0.6	7.2±0.15	27.0±0.35	10.55±0.25				41.4±0.6				4.3±0.15		Fig.3	0.38	66.2	172	11386	64.4	5900	6000	7000		5700	7500	7500	7500
EED5212	52.0±0.6	5.75±0.15	34.9±0.4	45.0±0.6				7.9±0.3	27.8±0.4			2.7±0.2/-0.15		Fig.16	0.276	59.67	216	12888	76.3					7000			
EED5214	52.0±0.6	7.4±0.2	27.0±0.3	10.6±0.3				43.4±0.6				4.5±0.2		Fig.3	0.36	63	173.5	10930	66.8	6100	6300	6200		5900	7800	7800	7800
EED5219	51.8±0.7/-0.6	9.75±0.15	26.8±0.3/-0.4			11.3±0.25	23.3±0.3/-0.4	42.0±0.7/-0.6				4.85±0.25/-0.15		Fig.32	0.245	65.5	267	17488.5	100						####		
EED5221	52.0±0.5	10.95±0.25	29.7±0.35	19.4±0.3				42.0min				6.95±0.25		Fig.21	0.27	69.26	260.6	18049	110.4					6600			
EED5417	54.0±0.5	9.8±0.2	27.0±0.3	10.6±0.25				45.4±0.5				6.5±0.2	19.0±0.2	Fig.7	0.39	75.4	191.6	14446	82	5900	6100	6800		5700	7600	7600	7600
EED5422	54.8±0.8	22.1±0.15	27.85±0.3	15.5±0.25				43.8±0.8				17.25±0.2		Fig.4	0.373	114.5	307	35137.4	199.8						7600		
EED5426	54.8±0.8	12.85±0.2	27.85±0.3	15.5±0.25				43.8±0.8				8.0±0.25		Fig.4	0.244	75	307	23025	136.6						####		
EED5512	55.0±0.6	5.75±0.15	42.0±0.4	47.8±0.6				8.0±0.2/-0.3	35.0±0.4			2.65±0.2/-0.15		Fig.16	0.233	62.04	266.3	16521.3	97.8						####		
EED5520	55.0±0.7	12.2±0.15	26.85±0.4	14.0±0.35				45.0±0.7				7.35±0.2		Fig.4	0.266	75.38	283	21332.54	123.6						9000		
EED5620	56.0±0.55	10.0±0.25	27.0±0.35	8.99±0.25				47.4±0.55				6.7±0.15		Fig.36	0.4	77.8	175.2	13635	86.8							6500	
EED5821	57.9±0.7	10.4±0.15/-0.2	31.8±0.4			10.35±0.25	22.8±0.3/-0.4	50.3±0.7				7.1±0.35/-0.2		Fig.32	0.377	86.25	228.6	19717	105.2						7000		
EED6533	65.0±1.0	16.5±0.15	74.0±1.0	13.8±0.25	50.0±0.6			57.0±1.0				11.5±0.15	51.0±0.8	Fig.28	0.16	107.5	680.6	73165.8	422							11000	
EED6833	67.6±1.0	16.5±0.15	74.0±0.5	13.8±0.25	50.0±0.4			58.0±1.0				11.5±0.15		Fig.34	0.15	109.9	719	79000.4	433							21000	